



SECTION 1 – IDENTIFICATION

Manufacturer:

Company: Sudbury Boat Care
Street Address: 65 Walnut Street

City / State / Zip: Peabody, MA 01960

Phone: (978) 532-4019

Product Name: Crystal Deck Cleaner

Synonyms:

Part Number(s): TTT-TC2000; TTT-TC2001

Recommended use: Marine teak cleaner **Restrictions on use:** Use only as recommended

SECTION 2 – HAZARD(S) IDENTIFICATION

This material is considered hazardous per the US OSHA Hazard Communication Standard (29CFR1910.1200).

Skin corrosion/irritation, Category 2

Hazard Classification: Serious eye damage/eye irritation, Category 2A

Specific Target Organ Toxicity - Single Exposure, Category 3

(Respiratory tract irritation)

Signal Word:

Warning

Hazard Statements:

Causes skin irritation. Causes serious eye irritation. May cause

Emergency Contact Information

Call CHEMTREC 800-424-9300

respiratory irritation.

Hazard Symbols:



PREVENTION

Wash hands and exposed skin thoroughly after handling.

Wear eye and face protection and protective gloves. Avoid breathing

dusts. Use only outdoors or in a well-ventilated area.

RESPONSE

Take off contaminated clothing and wash it before reuse.

If on skin: Wash with soap and plenty of water. If skin irritation occurs:

Get medical attention.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. **If eye**

irritation persists: Get medical attention.

If inhaled: Remove person to fresh air and keep comfortable for

breathing. Call a poison center or doctor if you feel unwell.

STORAGE

Store locked up.

DISPOSAL

Contact local municipal, state and/or federal agencies to determine appropriate disposal options for the product. Dispose of this container with

a registered reconditioner or as otherwise appropriate.

Hazards Not Otherwise Classified:

Precautionary Statements:

None.

Practice good general industrial hygiene. When mixed with water, this

General Advice:

product creates a highly alkaline solution that presents hazards common to

splashing liquids. Wear PPE and handle with caution.

SDS: Crystal Deck Cleaner Revision Date: 01 September 2021 Page 1 of 6





SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS

Nature of product: Mixture

Ingredient Name	CAS Number	%	Type	GHS Classification
Phosphoric acid, sodium salt (1:3)	7601-54-9	80-100	Α	Skin corrosion/irritation, Category 2 Serious eye damage/eye irritation, Category 2 Specific target organ toxicity – single exposure, Category 3 (Respiratory tract irritation)
Ethanol, 2-butoxy-	111-76-2	1-5	Α	Acute toxicity – Oral, Category 4 Serious eye damage/eye irritation, Category 2A Specific target organ toxicity - single exposure, Category 3 (Narcotic effects) Flammable liquids, Category 4
Silicic acid (H2SiO3), sodium salt (1:2)	6834-92-0	1-5	Α	Acute toxicity – Oral, Category 4 Skin corrosion/irritation, Category 1B Serious eye damage/eye irritation, Category 1 Specific target organ toxicity – single exposure, Category 3 (Respiratory irritation) Corrosive to metals, Category 1

Type: [A] Consituent [B] Surplus Original Reactant [C] Side Product [D] Degradation Product [E] Impurity If Chemical Name & CAS # is "proprietary" &/ Weight-% is listed as a range: the specific chemical identity and/or percentage of composition has been withheld as a trade secret or percentage of composition is due to batch variation. There are no additional ingredients present which, to the best knowledge of the manufacturer, are classified and contribute to the classification of the substance and therefore require reporting.

SECTION 4 - FIRST-AID MEASURES

General Advice: Provide this SDS to any medical personnel responding to a call for help. Rinse immediately with plenty of water, including under the eyelids, for at least Eye contact: 15 minutes. Get medical attention. Wash off immediately with plenty of soap and water for at least 15 minutes. Skin contact: Remove contaminated clothing. Remove patient to fresh air. If breathing is difficult, keep patient at rest, in a Inhalation: position comfortable for breathing. Blow nose to evacuate dust. When administering rescue breathing, rescuer must take precautions against exposure. Do NOT induce vomiting. Rinse mouth. Give a conscious patient water to drink. Never give anything by mouth to an unconscious patient. If the patient continues Ingestion: to feel unwell, get medical attention. Most Important Symptoms, Irritation of the affected area.

Acute & Delayed: Indication of immediate medical

attention or special treatment:

Eye exposure.

Note to Physician: Treat symptomatically.

Page 2 of 6 SDS: Crystal Deck Cleaner Revision Date: 01 September 2021





SECTION 5 - FIRE-FIGHTING MEASURES

Unsuitable Extinguishing Media:

Suitable Extinguishing Media: Water mist, water fog, foam, carbon dioxide, dry chemical powder, sand.

High-pressure water jet.

This material is practically non-combustible. Use extinguishing media suitable for surrounding fire. Material is a powder and may be spread by

Specific hazards: high-pressure water jets or water spray. Fire-fighting water will dissolve this

product to yield a highly alkaline solution. Do not allow run-off from

firefighting to enter drains or water courses.

Do not breathe fumes. Use water to cool surrounding containers. Do not produce clouds of dust; consider the use of water mist to keep dust down against the creation of a highly alkaline solution when this product dissolves

in the water. Wear SCBA if fighting fire close-in.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, & emergency procedures:

Special precautions for fire-fighters:

Ensure adequate ventilation. Exclude unnecessary personnel. Eliminate all ignition sources. Prevent discharge to the ground, sewers, drains, or waterways. Wear Personal Protective Equipment (PPE) appropriate to clean-up.

Methods and materials for containment and clean-up:

Prevent entry into waterways, sewer, basements, or confined areas. Prevent further leakage / spillage if safe to do so. Sweep up spilled material and dispose of it in accordance with all regulations. If spilled into water, resulting solution will be highly alkaline; consider neutralizing with

acetic acid.

General advice:

Spilled material may cause slippery conditions. Prevent further leakage or spillage if safe to do so. Discharge into the environment should be avoided. Inform authorities of all environmental releases as appropriate.

SECTION 7 - HANDLING AND STORAGE

Observe good general industrial hygiene. Avoid contact with skin and eyes. Avoid prolonged exposure. Do not breathe dust. Keep container closed when not in use. Do not eat, drink, or use tobacco products when using this

Precautions for safe handling:

product. Ensure adequate ventilation. Wear appropriate personal protective equipment. Do not use pressure to empty drums. Keep away from open flames, hot surfaces, and sources of ignition. Wash thoroughly after handling. Avoid release to the environment.

Conditions for safe storage:

Store locked up. Keep containers tightly closed, out of direct sunlight, at ambient temperatures in a dry and well-ventilated place.

Materials incompatible with product: Acids, Oxidizers. Aluminium, Fluorine, Zinc.

SDS: Crystal Deck Cleaner Revision Date: 01 September 2021 Page 3 of 6





SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

Substance Identity	CAS#	Regulating Body	Value Type	Value
Phosphoric acid, sodium salt (1:3) as PNOR, Total Dust	7601-54-9	OSHA Z-1	PEL as TWA	15 mg/m ³
Phosphoric acid, sodium salt (1:3) as PNOR, Respirable Fraction	7601-54-9	OSHA Z-1	PEL as TWA	5 mg/m ³
Ethanol, 2-butoxy-	111-76-2	OSHA Z-1	PEL as TWA	50 ppm
Silicic acid (H2SiO3), sodium salt (1:2) as PNOR, Total Dust	6834-92-0	OSHA Z-1	PEL as TWA	15 mg/m ³
Silicic acid (H2SiO3), sodium salt (1:2) as PNOR, Respirable Fraction	6834-92-0	OSHA Z-1	PEL as TWA	5 mg/m ³

Maintain adequate ventilation (10 air changes / hour minimum). Use general

ventilation, local exhaust, and other necessary engineering controls to control airborne levels below exposure limit. Avoid heat and sparks (from grinding or

static discharge). Ensure eyewash stations and showers are available and in

good working order.

Use good general industrial hygiene. Use personal protective equipment. If

Individual protection measures: local exhaust is inadequate, use an appropriate respirator. Do not eat, drink, or

use tobacco products when working with this product.

SECTION 9 – PHYSICAL & CHEMICAL PROPERTIES

Appearance:	White powder	Lower flammability (or explosive) limits:	No data available
Odor:	Nondescript	Upper flammability (or explosive) limits:	No data available
Odor threshold:	No data available	Vapor Pressure:	No data available
pH:	12-13 (1% aqueous solution)	Vapor Density:	No data available
Melting / Freezing Point:	No data available	Relative Density:	1.0
Initial Boiling Point:	No data available	Solubility:	Completely soluble in water
Boiling Range:	No data available	Partition Coefficient: n-Octane / Water	No data available
Flash Point:	No data available	Auto-ignition Temperature:	No data available
Evaporation Rate:	No data available	Decomposition Temperature:	No data available
Flammability (solid, gas):	Practically non-combustible	Viscosity:	No data available

NOTE: the physical data presented above are typical values and should not be construed as a specification.

SECTION 10 - STABILITY & REACTIVITY

Reactivity: Keep dry. Not reactive under typical conditions.

Chemical stability: Stable under typical storage conditions.

Possibility of hazardous reactions: Will not polymerize.

Conditions to avoid: Exceptionally high temperatures, ignition sources, poorly ventilated working

or storage areas. Avoid moisture prior to use.

Incompatible materials: Acids, Oxidizers. Aluminium, Fluorine, Zinc.

Hazardous decomposition products: Will not decompose under typical conditions.

SDS: Crystal Deck Cleaner Revision Date: 01 September 2021 Page 4 of 6





SECTION 11 – TOXICOLOGICAL INFORMATION

Skin contact and eye contact are the most likely routes of exposure.

Likely routes of exposure: Exposure by ingestion is possible but unlikely.

Given the nature of the product, exposure by inhalation or injection is unlikely.

Symptoms and effects: May irritate the skin. Will irritate the eye. May cause respiratory irritation.

Chronic effects: No data available

Numerical measure of toxicity: This mixture is not classified as Acutely toxic.

Carcinogenicity: Neither this product nor its components are on the NTP list, the IARC list, or the

OSHA list of known or potential carcinogens.

SECTION 12 - ECOLOGICAL INFORMATION

Aquatic toxicity: No data available

Terrestrial toxicity: No data available

Persistence and degradability: No data available Bioaccumulative potential: No data available

Mobility in soil: No data available

Other adverse effects: When dissolved in water, the resulting solution is highly alkaline.

SECTION 13 – DISPOSAL CONSIDERATIONS

Dispose of unused and/or contaminated material in accordance with local, state,

Disposal method: and federal regulations. Uncontaminated product disposed as presented may be a

RCRA regulated waste.

Container disposal method:

Send durable containers to a reconditioner for refurbishment. Dispose of other

containers in accordance with local, state, and federal regulations.

SECTION 14 – TRANSPORTATION INFORMATION

US DOT Highway & Rail: Not Regulated.

Marine Pollutant: No data available

IMO / IMDG Water Transport: No data available

Transport in bulk according to Annex I or II Consult IMO regulations before transporting in bulk by ocean

of MARPOL 73/78 and the IBC / IGC Code: transport.

ICAO / IATA Air Transport: No data available

SDS: Crystal Deck Cleaner Revision Date: 01 September 2021 Page 5 of 6





SECTION 15 – REGULATORY INFORMATION

Chemical Inventory Compliance

This product complies with the national inventories of the following countries:

OSHA Hazard Communication Standard

(as regulated by US 29CFR1910.1200):

CERCLA This product, as supplied, contains the following hazardous substances with a Comprehensive Environmental Response Compensation and Liability Act Reportable Quantity (CERCLA RQ) as regulated by US 40CFR302 (a release equal to or greater than the RQ requires reporting to the National Response Center (800-424-8802), the SERC, and the LEPC):

EPCRA Sections 301-303 & 304 This product, as supplied, contains the following Extremely Hazardous Substances (EHS) subject to a Threshold Planning Quantity (TPQ) and Reportable Quantity (RQ) as regulated by US 40CFR355 (a release equal to or greater than the RQ requires reporting to the SERC and LEPC):

EPCRA Section 311 & 312

(as regulated by US 40CFR370 for Tier II Reporting):

EPCRA Section 313

(as regulated by US 40CFR372 for TRI Reporting):

US CWA This product, as supplied, contains the following substances regulated as pollutants pursuant to the Clean Water Act (40CFR122.21 & 40CFR122.22): **US CAA HAPs** This product, as supplied, contains the

following substances regulated as Hazardous Air Pollutants under the Clean Air Act Section 112:

US TSCA

This material is considered hazardous by the OSHA HazCom 2012 Standard (29CFR1910.1200).

Substance	CAS#	Product RQ
Phosphoric acid, sodium salt (1:3)	7601-54-9	5260 lbs

None.

Refer to Sections 2 and 3 of this SDS for information.

Substance	CAS#
Ethanol, 2-butoxy-	111-76-2
Silicic acid (H2SiO3), sodium salt (1:2)	6834-92-0

No Data Available.

No Data Available.

SECTION 16 – OTHER INFORMATION

Revision Date: 01 September 2021

NFPA Rating: Health / Blue: Flammability / Red: Instability / Yellow: Specific Hazard / White:

This material is usually prepared and distributed as a consumer product. Consumer use should follow precautions and instructions found on the consumer package. This SDS is intended for communicating hazards in the workplace.

Disclaimer: This Safety Data Sheet (SDS) was prepared to comply with the US OHSA Hazard Communication Standard (29 CFR 1910.1200; aka HazCom 2012). This SDS supersedes any previous SDS. The information and recommendations described in this SDS are provided in good faith and based upon data believed to be correct. However, the information provided in this SDS is provided without any warranty, express or implied, regarding its correctness or accuracy. The information provided applies only to the product as shipped. The information is offered for the end user's information, consideration, and further investigation. The information contained in this document is not to be construed as absolute or complete since additional information may be necessary or desirable when particular / exceptional conditions / circumstances exist; or, because of applicable laws or government regulations. Since the actual conditions for the use of the product are beyond the manufacturer's control, no guarantee (express or implied) is made as to the effects of such use or the results to be obtained. The sole responsibility to determine appropriate conditions for the use of this product and the assumption of liability for any loss, damage, or expense arising from the product's use rests with the end user. The end user is encouraged to read the SDS and understand any associated hazards associated with the product thoroughly before using. It is the end user's responsibility to ensure that use, handling, storage, and disposal of the product complies with all federal, state, provincial, and local laws.

SDS: Crystal Deck Cleaner Revision Date: 01 September 2021 Page 6 of 6